

DAFTAR PUSTAKA

- [1] S. Priscillia, C. Schillaci, and A. Lipani, “Flood susceptibility assessment using artificial neural networks in Indonesia,” *Artif. Intell. Geosci.*, vol. 2, no. January, pp. 215–222, 2021, doi: 10.1016/j.aiig.2022.03.002.
- [2] R. L. Puspasari, D. Yoon, H. Kim, and K. Kim, “Machine Learning for Flood Prediction in Indonesia : Providing Online Access for Disaster Management Control,” vol. 56, no. 1, pp. 65–73, 2023, doi: 10.9719/EEG.2023.56.1.65.Journal.
- [3] R. L. Puspasari, D. Yoon, H. Kim, and K. Kim, “Machine Learning for Flood Prediction in Indonesia : Providing Online Access for Disaster Management Control Machine Learning for Flood Prediction in Indonesia : Providing Online Access for Disaster Management Control,” no. February 2023, 2024, doi: 10.9719/EEG.2023.56.1.65.
- [4] M. G. Rachman and O. Kurniawan, “Flood Risk Mapping of Jakarta Using Genetic Algorithm Rule-Set Production (GARP) and Quick Unbiased Efficient Statistical Tree (QUEST) Methods Flood Risk Mapping of Jakarta Using Genetic Algorithm Rule-Set Production (GARP) and Quick Unbiased Effici,” 2020, doi: 10.1088/1757-899X/875/1/012051.
- [5] S. Sandiwarno, “Penerapan Machine Learning Untuk Prediksi Bencana Banjir,” *J. Sist. Inf. Bisnis*, vol. 14, no. 1, pp. 62–76, 2024, doi: 10.21456/vol14iss1pp62-76.
- [6] Z. Situ *et al.*, “Improving urban flood prediction using LSTM-DeepLabv3+ and Bayesian optimization with spatiotemporal feature fusion,” *J. Hydrol.*, vol. 630, 2024, doi: 10.1016/j.jhydrol.2024.130743.
- [7] P. Studi, T. Mekatronika, J. T. Elektro, and P. N. Batam, “Prediksi Banjir Menggunakan Artificial Neural Network Tugas Akhir,” no. 4212001048, 2025, doi: <https://repository.polibatam.ac.id/handle/PL029/3818>.
- [8] H. Zhu, J. Leandro, and Q. Lin, “Optimization of artificial neural network (Ann) for maximum flood inundation forecasts,” *Water (Switzerland)*, vol. 13, no. 16, pp. 1–15, 2021, doi: 10.3390/w13162252.

- [9] J. Journal, "Flood Forecasting Using Machine Learning Methods," *Flood Forecast. Using Mach. Learn. Methods*, no. March, 2019, doi: 10.3390/books978-3-03897-549-6.
- [10] H. Solanki, U. Vegad, A. Kushwaha, and V. Mishra, "Improving Streamflow Prediction Using Multiple Hydrological Models and Machine Learning Methods," *Water Resour. Res.*, vol. 61, no. 1, 2025, doi: 10.1029/2024WR038192.
- [11] Rakesh Tanty and Tanweer S. Desmukh, "Application of Artificial Neural Network in Hydrology- A Review," *Int. J. Eng. Res.*, vol. V4, no. 06, pp. 184–188, 2015, doi: 10.17577/ijertv4is060247.
- [12] S. Nevo *et al.*, "Flood forecasting with machine learning models in an operational framework," *Hydrol. Earth Syst. Sci.*, vol. 26, no. 15, pp. 4013–4032, 2022, doi: 10.5194/hess-26-4013-2022.
- [13] S. T. Seydi, Y. Kanani-Sadat, M. Hasanlou, R. Sahraei, J. Chanussot, and M. Amani, "Comparison of Machine Learning Algorithms for Flood Susceptibility Mapping," *Remote Sens.*, vol. 15, no. 1, 2023, doi: 10.3390/rs15010192.
- [14] B. Math, O. Bevinakatti, S. Hosamani, and P. Patil, "Stock Market Prediction Using Machine Learning," *2024 5th Int. Conf. Emerg. Technol. INCET 2024*, vol. 0335, pp. 0–1, 2024, doi: 10.1109/INCET61516.2024.10593215.
- [15] A. Mosavi, P. Ozturk, and K. W. Chau, "Flood prediction using machine learning models: Literature review," *Water (Switzerland)*, vol. 10, no. 11, pp. 1–40, 2019, doi: 10.3390/w10111536.
- [16] A. Y. Sun, P. Jiang, P. Shuai, and X. Chen, "Bridging Hydrological Ensemble Simulation and Learning Using Deep Neural Operators," *Water Resour. Res.*, vol. 60, no. 10, 2024, doi: 10.1029/2024WR037555.
- [17] A. Elbeltagi, M. Al-Mukhtar, N. L. Kushwaha, N. Al-Ansari, and D. K. Vishwakarma, "Forecasting monthly pan evaporation using hybrid additive regression and data-driven models in a semi-arid environment," *Appl. Water Sci.*, vol. 13, no. 2, 2023, doi: 10.1007/s13201-022-01846-6.
- [18] P. Satish, S. Srinivasulu, and R. Swathi, "A hybrid genetic algorithm based

- rainfall prediction model using deep neural network,” *Int. J. Innov. Technol. Explor. Eng.*, vol. 8, no. 12, pp. 5370–5373, 2019, doi: 10.35940/ijitee.L3777.1081219.
- [19] S. S. Chaeikar and S. Yazdanpanah, “Hand gesture detection by genetic algorithm and multilayer perceptron,” no. December, 2024.
- [20] R. Arya, M. L. Pai, A. V. Vidyapeetham, and A. V. Vidyapeetham, “Rainfall Prediction Using an Optimised Genetic-Artificial Neural Network Model,” *Int. J. Pure Appl. Math.*, vol. 119, no. 10, pp. 669–678, 2020, doi: <https://www.ijpam.eu/en-en/index.php>.
- [21] S. Kalogirou, “Artificial Neural Networks and Genetic Algorithms in Energy Applications in Buildings,” *Adv. Build. Energy Res.*, vol. 3, pp. 83–119, 2009, doi: 10.3763/aber.2009.0304.
- [22] N. Dehghanian, S. Saeid Mousavi Nadoushani, B. Saghafian, and M. R. Damavandi, “Evaluation of coupled ANN-GA model to prioritize flood source areas in ungauged watersheds,” *Hydrol. Res.*, vol. 51, no. 3, pp. 423–442, 2020, doi: 10.2166/nh.2020.141.
- [23] Y. Elmasari and N. Nurhadi, “Optimasi Artificial Neural Network Dengan Genetic Algorithm Pada Prediksi Debit Inflow Waduk Sengguruh,” *JIPi (Jurnal Ilm. Penelit. dan Pembelajaran Inform.)*, vol. 4, no. 2, p. 122, 2019, doi: 10.29100/jipi.v4i2.1442.
- [24] N. Kamal and Y. Ramdhani, “Optimasi Algoritma Neural Network berbasis Fitur Seleksi Menggunakan Algoritma Genetika Untuk Prediksi Curah Hujan,” *eProsiding Tek. Inform.*, vol. 4, no. 2, pp. 269–282, 2023, doi: Vol. 4 No. 2 (2023): eProsiding Teknik Informatika 2023.
- [25] I. Wahyuni *et al.*, “Penerapan Metode Hybrid Fis Tsukamoto Dan Algoritma Application of Hybrid Fis Tsukamoto and Genetic Algorithm,” vol. 5, no. 4, pp. 483–492, 2018, doi: 10.25126/jtiik.
- [26] M. F. Ghazali, A. Aqzela, C. Gracia, R. S. Febriningtyas, and D. Wijayanti, “Analisis Geospasial Kasus Stunting menggunakan Artificial Neural Network (ANN) di Kecamatan Gadingrejo, Pringsewu-Lampung,” *Maj. Geogr. Indones.*, vol. 37, no. 1, p. 1, 2022, doi: 10.22146/mgi.70474.

- [27] Rais, O. Somantri, I. Afriliana, E. Budihartono, and M. Khambali, "An optimized model for classification of appropriate technology products using neural networks and genetic algorithms," *J. Phys. Conf. Ser.*, vol. 1430, no. 1, 2020, doi: 10.1088/1742-6596/1430/1/012035.
- [28] G. Gunawan, M. Miftakhudin, and Z. Arif, "Application of artificial neural network with optimization of genetic algorithms for weather prediction," *J. Mantik*, vol. 8, no. 1, pp. 758–767, 2024, doi: 10.35335/mantik.v8i1.5225.
- [29] F. Fatimatuzzahra, R. Hammad, A. Z. Amrullah, and P. Irfan, "Optimasi Neural Network Dengan Menggunakan Algoritma Genetika Untuk Prediksi Jumlah Kunjungan Wisatawan," *JTIM J. Teknol. Inf. dan Multimed.*, vol. 3, no. 4, pp. 227–235, 2022, doi: 10.35746/jtim.v3i4.190.
- [30] S. A. Doumari, "Prediction of flood using optimized neural network with Gray Wolf Algorithm (Maroon River case study)," *Present Environ. Sustain. Dev.*, vol. 15, no. 2, pp. 41–53, 2021, doi: 10.15551/pesd2021152004.
- [31] G. Suddul, K. Dookhitram, G. Bekaroo, and N. Shankhur, "An Evolutionary MultiLayer Perceptron Algorithm for Real Time River Flood Prediction," in *2020 Zooming Innovation in Consumer Technologies Conference (ZINC)*, 2020, pp. 109–112. doi: 10.1109/ZINC50678.2020.9161824.
- [32] A. Vadlamani, R. Kalicheti, and S. Chimalakonda, "APIScanner - Towards Automated Detection of Deprecated APIs in Python Libraries," in *2021 IEEE/ACM 43rd International Conference on Software Engineering: Companion Proceedings (ICSE-Companion)*, 2021, pp. 5–8. doi: 10.1109/ICSE-Companion52605.2021.00022.
- [33] M. Latif and S. Herawati, "Combined EEMD and ANN improved by GA for tourist visit forecasting," *Bull. Electr. Eng. Informatics*, vol. 11, no. 2, pp. 947–954, 2022, doi: 10.11591/eei.v11i2.3566.