

DAFTAR PUSTAKA

- [1] World Stroke Organization, “Global Stroke Fact Sheet 2022,” Nov. 2022.
[Online]. Available: https://www.worldstroke.org/assets/downloads/WSO_Global_Stroke_Fact_Sheet.pdf
- [2] Kementerian Kesehatan Republik Indonesia, “Data Prevalensi Stroke di Indonesia (Riskesdas),” Kemenkes RI, 2023.
- [3] J. A. Kleim and T. A. Jones, “Principles of Experience-Dependent Neural Plasticity: Implications for Rehabilitation After Brain Damage,” *J. Speech, Lang. Hear. Res.*, vol. 51, no. 1, Nov. 2008, doi: 10.1044/1092-4388(2008/018).
- [4] F. P. Rochim *et al.*, “Pengembangan Aplikasi Pose Detection untuk Asesmen Kemajuan Fisioterapi Pasien Pasca-Stroke dari Jarak Jauh,” *JTIM J. Teknol. Inf. dan Multimed.*, vol. 5, no. 4, pp. 290–301, Nov. 2024, doi: 10.35746/jtim.v5i4.415.
- [5] B. Jo and S. Kim, “Comparative Analysis of OpenPose, PoseNet, and MoveNet Models for Pose Estimation in Mobile Devices,” *Traitement du Signal*, vol. 39, no. 1, pp. 135–142, 2022, doi: 10.18280/ts.390114.
- [6] M. Capecci *et al.*, “A Hidden Semi-Markov Model based approach for rehabilitation exercise assessment,” *J. Biomed. Inform.*, vol. 78, pp. 1–11, Feb. 2018, doi: 10.1016/j.jbi.2017.12.012.

- [7] E. Stone and M. Skubic, "Evaluation of an Inexpensive Depth Camera for In Home Gait Assessment," *IEEE Transactions on Biomedical Engineering*, vol. 71, no. 3, 2024.
- [8] C. Su *et al.*, "Automated Assessment of Upper Extremity Function with the Modified Mallet Score Using Single-Plane Smartphone Videos," *Sensors*, vol. 25, no. 2, 2025, doi: 10.3390/s25020412.
- [9] D. I. Afidah, "Benchmarking Transformer Models for Low-Resource Language Translation: A Case Study on the Tegalan-Indonesian Language Pair," *Eng. Technol. Appl. Sci. Res.*, vol. 16, no. 1, 2026, doi: 10.48084/etasr.v16i1.5941.
- [10] M. Sandler *et al.*, "MobileNetV2: Inverted Residuals and Linear Bottlenecks," in *Proc. IEEE/CVF Conf. Comput. Vis. Pattern Recognit. (CVPR)*, 2019, pp. 4510–4520.
- [11] S. Mehta and M. Rastegari, "MobileViT: Light-Weight, General-Purpose, and Mobile-Friendly Vision Transformer," in *Proc. Int. Conf. Learn. Represent. (ICLR)*, 2022.
- [12] D.-W. Kim *et al.*, "Automatic Assessment of Upper Extremity Function and Mobile Application for Self-Administered Stroke Rehabilitation," *IEEE Trans. Neural Syst. Rehabil. Eng.*, vol. 32, pp. 652–661, Nov. 2024, doi: 10.1109/TNSRE.2024.3358497.
- [13] N. Norouzkhani, M. Hamednia, and S. Aalaei, "Application of Mobile-Based Games in The Rehabilitation of Stroke Survivors," *Simul. Gaming*, vol. 54, no. 2, pp. 184–208, Nov. 2023, doi: 10.1177/10468781231158048.

- [14] E. Sespa, T. Herawati, and D. F. Aryani, "Penerapan Exergames Berbasis Android sebagai Neurorehabilitasi pada Pasien Pasca-Stroke," *J. Telenursing*, vol. 5, no. 1, pp. 1384–1395, Nov. 2023, doi: 10.31539/joting.v5i1.5163.
- [15] Y. Woo and H. Jeong, "Exercise Assessment Based on Human Pose Estimation and Relative Phase for Real-Time Remote Exercise System," *IEEE Access*, vol. 13, pp. 53203–53213, Nov. 2025, doi: 10.1109/ACCESS.2025.3551834.
- [16] A. Bangor, P. T. Kortum, and J. T. Miller, "Determining what individual System Usability Scale (SUS) scores mean: Adding an adjective rating scale," *J. Usability Stud.*, vol. 4, no. 3, pp. 114–123, May 2009.