

DAFTAR PUSTAKA

- [1] Ismaningsih, Renni Hidayati Zein, and Sandi Akbar, “The Effect of a High Volume Static Stretching Program of Hamstring Muscles on Musculoskeletal Pain to Improve Lower Extremity Flexibility of Physiotherapy Students,” *Compet. J. Pendidik. Kepeleatihan Olahraga*, vol. 17, no. 2, pp. 1349–1355, 2025, doi: 10.26858/cpjok.v17i2.119.
- [2] D. A. Alexander, D. A. Indraswari, R. M. S. Adji, and S. Widodo, “Association between Mountain Bike and Folding Bicycle Usage with Lower Extremity Pain,” *Diponegoro Med. J. (Jurnal Kedokt. Diponegoro)*, vol. 11, no. 4, 2022, doi: 10.14710/dmj.v11i3.34576.
- [3] Najah Fadiya Humaira, Bayu Prastowo, Safun Rahmanto, and Syi’ar Aprilla Tanazza, “Physical Fitness Leads to Risk of Delayed Onset Muscle Soreness in the Lower Extremities of Sangsekarta Dancers, Malang,” *Wind. Heal. J. Kesehat.*, vol. 7, no. 4, pp. 392–399, 2024, doi: 10.33096/woh.v7i4.1366.
- [4] . B., . B., . S., R. K., . I., and R. G, “Association Between Sitting Position and Lower Extremity Musculoskeletal Disorders in Medical Students During Study from Home,” *KnE Soc. Sci.*, vol. 2022, pp. 192–198, 2022, doi: 10.18502/kss.v0i0.12329.
- [5] J. Dorsey and M. Bradshaw, “Effectiveness of Occupational Therapy Interventions for Lower-Extremity Musculoskeletal Disorders: A Systematic Review,” *Am. J. Occup. Ther.*, vol. 71, no. 1, pp. 1–11, 2017, doi: 10.5014/ajot.2017.023028.

- [6] H. S. Pebrian, Z. A. Tyas, and M. W. Clinic, “Pengembangan aplikasi mobile rekomendasi latihan fisioterapi berbasis diagnosa: studi kasus di Mend.Wellness.Clinic,” vol. 4, pp. 1070–1077, 2026.
- [7] B. Collhins, K. Mitta, C. Gunawan, and S. R. Manalu, “PoseTracker: Accuracy Evaluation of AI-Based Mobile Application for Exercise Posture Feedback Using MediaPipe as Human Pose Estimation Model,” *Int. J. Comput. Sci. Humanit. AI*, vol. 3, no. 1, p. 21, 2026, doi: 10.21512/ijcshai.v3i1.15123.
- [8] J. T. Biebl *et al.*, “App-based feedback for rehabilitation exercise correction in patients with knee or hip osteoarthritis: Prospective cohort study,” *J. Med. Internet Res.*, vol. 23, no. 7, pp. 1–13, 2021, doi: 10.2196/26658.
- [9] E. Y. Roh, M. W. Kaufman, C. Nguyen, H.-J. Clark, and S. Kwon, “Investigating the effectiveness of an artificial intelligence-enhanced physical therapy and home exercise program on knee pain: a pilot study,” *J. Med. Artif. Intell.*, vol. 9, no. March, pp. 43–43, 2026, doi: 10.21037/jmai-2025-1-166.
- [10] G. V. Y. Candra, D. P. Pamungkas, and P. Kasih, “Analisis Performa Metode CNN Dan LSTM Untuk,” *Semin. Nas. Inov. Teknol.*, vol. 9, pp. 171–180, 2025.
- [11] R. D. M. Stevenson *et al.*, “Development of the intelligent knee osteoarthritis lifestyle app: a person-based approach,” *BMC Musculoskelet. Disord.*, vol. 25, no. 1, pp. 1–15, 2024, doi: 10.1186/s12891-024-07313-4.
- [12] Y. Li, C. Wang, Y. Cao, B. Liu, J. Tan, and Y. Luo, “Human pose

- estimation based in-home lower body rehabilitation system,” *Proc. Int. Jt. Conf. Neural Networks*, 2020, doi: 10.1109/IJCNN48605.2020.9207296.
- [13] S. Dharwiyanti and S. W. Romi, “Pengantar Unified Modeling Language (UML),” *Jakarta: Bulan Bintang*, p. 135, 2024, [Online]. Available: <https://books.google.co.id/books?id=0RjRNAAACAAJ>
- [14] G. S. Mahendra and I. K. A. Asmarajaya, “Evaluation Using Black Box Testing and System Usability Scale in the Kidung Sekar Madya Application,” *Sinkron*, vol. 7, no. 4, pp. 2292–2302, 2022, doi: 10.33395/sinkron.v7i4.11755.